

Sample label. Please see package insert  
for complete prescribing information.

free *flex*<sup>®</sup>

NDC 63323-623-53

50 mL

## 0.9% Sodium Chloride Injection, USP

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist.  
When introducing additives, use aseptic technique, mix  
thoroughly and do not store. Use only if solution is clear  
and container is undamaged. Must not be used in series  
connections.

**Usual dosage:** See package insert.

**STORE AT:** 20° to 25°C (68° to 77°F) [see USP  
Controlled Room Temperature]. Protect from freezing.

The container closure is not made  
with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

Mfd. for:



FRESENIUS  
KABI

Lake Zurich, IL 60047  
Made in Norway

LOT

EXP

403424

www.fresenius-kabi.com/us

FUE 1336 01-69-19-002 1 2 3 4 5 6 7 8 9 0



(01)00363323623531

**Sample label. Please see package insert  
for complete prescribing information.**

free *flex*<sup>®</sup>

NDC 63323-623-61

100 mL

**0.9% Sodium Chloride Injection, USP**

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist.  
When introducing additives, use aseptic technique, mix  
thoroughly and do not store. Use only if solution is clear  
and container is undamaged. Must not be used in series  
connections.

**Usual dosage:** See package insert.

**STORE AT:** 20° to 25°C (68° to 77°F) [see USP  
Controlled Room Temperature]. Protect from freezing.

The container closure is not made  
with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

Mfd. for:



FRESENIUS  
KABI

Lake Zurich, IL 60047

Made in Norway


LOT

EXP


403429

www.fresenius-kabi.com/us FUE 1335 01-69-19-003 1 2 3 4 5 6 7 8 9 0





NDC 63323-623-74

**freeflex<sup>®</sup>****250 mL****0.9% Sodium Chloride Injection, USP**

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

**Usual dosage:** See package insert.**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00363323623746

Mfd. for:

**FRESENIUS  
KABI**

LOT


Lake Zurich, IL 60047

Made in Germany


EXP

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403383A

**Sample Label.  
Please see  
package insert  
for complete  
prescribing  
information.**

0717121/01 US



NDC 65219-474-05

freeflex®

1,000 mL

## 0.9% Sodium Chloride Injection, USP

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

**Usual dosage:** See package insert.

**STORE AT:** 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00365219474050



EXP: MMYYYY

LOT: YYMULLXXX

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047  
Made in USA

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

**Sample Label.**  
**Please see package**  
**insert for complete**  
**prescribing information.**

403925

free *flex*<sup>®</sup>

500 mL

**0.9% Sodium Chloride Injection, USP**

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

**Usual dosage:** See package insert.**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex.  
Non-PVC, Non-DEHP, Sterile.



(01)00365219472056



EXP: MMYYYY

LOT: 14XXZZZZ

Mfd. for:

**FRESENIUS  
KABI**Lake Zurich, IL 60047  
Made in USA

www.fresenius-kabi.com/us

**Sample Label.**  
**Please see package**  
**insert for complete**  
**prescribing information.**

403926

NDC 65219-474-05

freeflex®

1,000 mL

## 0.9% Sodium Chloride Injection, USP

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride 900 mg  
in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

**Usual dosage:** See package insert.

**STORE AT:** 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00365219474050



EXP: MMYYYY

LOT: YYMULLXXX

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047  
Made in USA

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

**Sample Label.**  
**Please see package**  
**insert for complete**  
**prescribing information.**

403925

freeflex®

NDC 65219-470-05

250 mL

**0.9% Sodium Chloride Injection, USP**

For intravenous use.

Rx only

**Each 100 mL contains:** Sodium Chloride  
900 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium 154 mEq

Chloride 154 mEq

308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

**50**

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

**100**

**Usual dosage:** See package insert.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

**150**

The container closure is not made with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

**200**



(01)00365219470052



EXP: MMYYYY

LOT: 14XXZZZZ

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047  
Made in USA

**Sample Label.**  
Please see package  
insert for complete  
prescribing information.

www.fresenius-kabi.com/us

403932

mL