free flex®

500 mL

154 mEa

154 mEa

pH 4.5 to 7.0

## 0.9% Sodium Chloride Injection, USP

Rx only For intravenous use

100

Each 100 mL contains: Sodium Chloride 900 mg in water for injection.

Electrolytes per 1.000 mL:

Sodium

Chloride

308 mOsmol/LITER (CALC.)

200

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

300

Usual dosage: See package insert.

STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled

Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.

400





EXP: MMYYYY

LOT: 14XXZZZZ

mL

Mfd. for:



Sample Label. Please see package insert for complete prescribing information.

403926

0.9% Sodium Chloride Injection, USP Rx only For intravenous use. 200 Each 100 mL contains: Sodium Chloride 900 mg in water for injection. Electrolytes per 1,000 mL: Sodium 154 mEa 300 Chloride 154 mEa 308 mOsmol/LITER (CALC.) pH 4.5 to 7.0 Single Dose Only. Discard Unused Portion. Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic 400 technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

STORE AT: 20° to 25°C (68° to 77°F) [see USP

Controlled Room Temperature1, Protect from freezing, The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.

Usual dosage: See package insert.

NDC 65219-474-05





**FXP: MMYYYY** LOT: YYMULLXXX

Mfd for:

100

500

600

700

mL

free flex®

KARI

**FRESENIUS** Sample Label. Please see package insert for complete Lake Zurich, IL 60047 Made in USA prescribing information. www.fresenius-kabi.com/us

403925

1.000 mL

For intravenous use Rx only Each 100 mL contains: Sodium Chloride 900 mg in water for injection. Electrolytes per 1,000 mL: Sodium 154 mEa Chloride 154 mEa pH 4.5 to 7.0 308 mOsmol/LITER (CALC.) 50

Single Dose Only, Discard Unused Portion. Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series

NDC 65219-470-05 0.9% Sodium Chloride Injection, USP

250 ml

free flex®

connections

100

200

mL

Usual dosage: See package insert. STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperaturel, Protect from freezina. 150 The container closure is not made with natural rubber latex. Non-PVC. Non-DEHP. Sterile.



Mfd. for:

**FRESENIUS** KABI Lake Zurich, IL 60047 Made in USA www.fresenius-kabi.com/us

Sample Label. Please see package insert for complete prescribing information.

403932

## Sample Label. Please see package insert for complete prescribing information.

free flex®

NDC 63323-623-53

50 mL

For intravenous use.

0.9% Sodium Chloride Injection. USP Rx only

Each 100 mL contains: Sodium Chloride 900 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium Chloride

308 mOsmol/LITER (CALC.)

154 mEa 154 mEa pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion. Additives may be incompatible. Consult with pharmacist.
When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

Usual dosage: See package insert. STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing. The container closure is not made with natural rubber latex. Non-PVC. Non-DEHP. Sterile.



Mfd. for: **FRESENIUS** KABI Lake Zurich, IL 60047 Made in Norway www.fresenius-kabi.com/us

1234567890 403424A FUH 1336 01-62-19-007A

## Sample Label. Please see package insert for complete prescribing information.

free flex

NDC 63323-623-61

100 mL

0.9% Sodium Chloride Injection, USP For intravenous use.

Rx only

Each 100 mL contains: Sodium Chloride 900 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium Chloride

308 mOsmol/LITER (CALC.)

154 mEa 154 mEq pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion. Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections. Usual dosage: See package insert. STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect The container closure is not made with natural from freezing. rubber latex. Non-PVC, Non-DEHP, Sterile.



Mfd. for: FRESENIUS KABI Lake Zurich, IL 60047 Made in Norway www.fresenius-kabi.com/us

1234567890 403429A FUH 1335 01-62-19-008A O.9% Sodium Chloride Injection, USP
For intravenous use. Rx only

Each 100 mL contains: Sodium Chloride 900 mg in water for injection.
Electrolytes per 1,000 mL:
Sodium 154 mEq
Chloride 154 mEq
308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.
Additives may be incompatible. Consult with pharmacist. When introducing

additives, use aseptic technique, mix thoroughly and do not store. Use

NDC 65219-468-05

only if solution is clear and container is undamaged. Must not be used in series connections.

free flex

Non-PVC, Non-DEHP, Sterile

Usual dosage: See package insert.

STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex.

ure is not made with natural rubber latex.

Sample Label.
Please see
package insert
for complete
prescribing
information.



Made in USA

100 ml

free flex® NDC 65219-466-05 **50 mL 0.9% Sodium Chloride Injection, USP**For intravenous use. Rx only **Each 100 mL contains:** Sodium Chloride 900 mg in water for injection. Electrolytes per 1,000 mL: Sodium Chloride 154 mEq Chloride 154 mEq 308 mOsmol/LITER (CALC.) pH 4.5 to 7.0

Single Dose Only. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Use only if solution is clear and container is undamaged. Must not be used in series connections.

only if solution is clear and container is undamaged. Must not be used in series connections. **Usual dosage:** See package insert. **STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex.

Non-PVC,
Non-DEHP.

Sterile.

Sample Label.
Please see
package insert
for complete
prescribing
information.

Lake Zurich, IL 60047

Made in USA

ሄ

**FRESENIUS** 

KABI

403885

www.fresenius-kabi.com/us