

NDC 63323-824-24

freeflex®

250 mL

10% Dextrose Injection, USP

25 grams per 250 mL
(100 mg per mL)

For intravenous use.

Rx only

Each 100 mL contains: Dextrose monohydrate 10 g;
water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.) pH 4.5 (3.2 to 6.5).

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist.
When introducing additives, use aseptic technique, mix
thoroughly and do not store. Do not administer simulta-
neously with blood.


Usual dosage: See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled
Room Temperature]. Protect from freezing. Avoid excessive
heat.

The container closure is not made with natural rubber latex.
Non-PVC, Non-DEHP, Sterile.



(01)00363323824242

Mfd. for:



**FRESENIUS
KABI**

LOT

Lake Zurich, IL 60047

Made in Germany

EXP

www.fresenius-kabi.com/us

403263A

**Sample label.
Please see
package insert
for complete
prescribing
information.**

0743581/00 US

NDC 63323-824-25

free *flex*[®]

500 mL

10% Dextrose Injection, USP

50 grams per 500 mL
(100 mg per mL)

100

For intravenous use.

Rx only

Each 100 mL contains: Dextrose monohydrate 10 g;
water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.) pH 4.5 (3.2 to 6.5).

200

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

Usual dosage: See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

300

STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing. Avoid excessive heat.

The container closure is not made with natural rubber latex.
Non-PVC, Non-DEHP, Sterile.

400



(01)00363323824259

Mfd. for:



**FRESENIUS
KABI**

Lake Zurich, IL 60047
Made in Germany

www.fresenius-kabi.com/us

403264A

LOT

EXP

**Sample label.
Please see
package insert
for complete
prescribing
information.**

0743591/00 US

100

NDC 63323-824-26

freeflex[®]

1,000 mL

200

10% Dextrose Injection, USP**100 grams per 1,000 mL**
(100 mg per mL)

For intravenous use.

Rx only

300

Each 100 mL contains: Dextrose monohydrate 10 g;
water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.) pH 4.5 (3.2 to 6.5).

400

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

Usual dosage: See package insert.

The overwrap is a moisture barrier.

500

Use immediately once removed from overwrap.

STORE AT: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing. Avoid excessive heat.The container closure is not made with natural rubber latex.
Non-PVC, Non-DEHP, Sterile.

600



(01)00363323824266

700

Mfd. for:

**FRESENIUS
KABI**Lake Zurich, IL 60047
Made in Germanywww.fresenius-kabi.com/us

403265A

LOT

EXP

**Sample label.
Please see
package insert
for complete
prescribing
information.**

800

900

0743601/00 US