

100

NDC 63323-824-26

free flex<sup>®</sup>

1,000 mL

**10% Dextrose Injection, USP**

200

<b>100 grams per 1,000 mL</b> (100 mg per mL)
--

For intravenous use.

Rx only

300

**Each 100 mL contains:** Dextrose monohydrate 10 g; water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.)      pH 4.5 (3.2 to 6.5).

Single-dose Container. Discard Unused Portion.

400

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

500

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Avoid excessive heat.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.

600



(01)00363323824266



EXP: YYYY-MM

LOT: XXXXXXXX

700

800

**FRESENIUS  
KABI**

Lake Zurich, IL 60047

Made in USA

www.fresenius-kabi.com/us

404167

900

Sample label. Please see package insert  
for complete prescribing information.

100

NDC 63323-824-26

free flex<sup>®</sup>

1,000 mL

200

# 10% Dextrose Injection, USP

**100 grams per 1,000 mL**  
(100 mg per mL)

For intravenous use.

Rx only

300

**Each 100 mL contains:** Dextrose monohydrate 10 g; water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.)    pH 4.5 (3.2 to 6.5).

400

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.


500

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing. Avoid excessive heat.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.

600



(01)00363323824266

700

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047  
Made in Germany

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403265A

LOT

EXP

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

800

900

0743601/00 US

NDC 63323-824-25

free flex<sup>®</sup>

500 mL

# 10% Dextrose Injection, USP

50 grams per 500 mL

(100 mg per mL)

100

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate 10 g;  
water for injection, 100 mL.

Hypertonic

200

505 mOsmol/L (CALC.)    pH 4.5 (3.2 to 6.5).

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

300

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Avoid excessive heat.

The container closure is not made with natural rubber latex.  
Non-PVC, Non-DEHP, Sterile.

400



(01)00363323824259



EXP: YYYY-MM

LOT: XXXXXXX

mL



**FRESENIUS  
KABI**

Lake Zurich, IL 60047

Made in USA

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

404166

Sample label. Please see package insert  
for complete prescribing information.

NDC 63323-824-25

free *flex*<sup>®</sup>

500 mL

# 10% Dextrose Injection, USP

**50 grams per 500 mL**  
(100 mg per mL)

**100** For intravenous use. Rx only

**Each 100 mL contains:** Dextrose monohydrate 10 g;  
water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.)      pH 4.5 (3.2 to 6.5).

**200** Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**300** **STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing. Avoid excessive heat.

The container closure is not made with natural rubber latex.  
Non-PVC, Non-DEHP, Sterile.



(01)00363323824259

**400**

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047  
Made in Germany

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403264A

LOT

EXP

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

0743591/00 US

NDC 63323-824-24

free *flex*<sup>®</sup>

250 mL

# 10% Dextrose Injection, USP

**25 grams per 250 mL**  
(100 mg per mL)

For intravenous use.

Rx only

**50** Each 100 mL contains: Dextrose monohydrate 10 g; water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.)      pH 4.5 (3.2 to 6.5).

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist.

**100** When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**150** **STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Avoid excessive heat.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.

**200**



(01)00363323824242



EXP: YYYY-MM

LOT: XXXXXXX

Sample label. Please see package insert for complete prescribing information.

 **FRESENIUS  
KABI**

Lake Zurich, IL 60047

Made in USA

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

404165

NDC 63323-824-24

freeflex<sup>®</sup>

250 mL

# 10% Dextrose Injection, USP

**25 grams per 250 mL**  
(100 mg per mL)

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate 10 g; water for injection, 100 mL.

Hypertonic

505 mOsmol/L (CALC.)      pH 4.5 (3.2 to 6.5).

Single-dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store. Do not administer simultaneously with blood.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing. Avoid excessive heat.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00363323824242

Mfd. for:



**FRESENIUS  
KABI**

LOT

Lake Zurich, IL 60047  
Made in Germany

EXP

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403263A

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

0743581/00 US