

**Sample label. Please see package insert  
for complete prescribing information.**

**5% Dextrose Injection, USP** NDC 63323-624-06

**5 grams per 100 mL**  
(50 mg per mL)

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate, 5 g;  
water for injection, 100 mL.

252 mOsmol/LITER (CALC.) pH 4.3 (3.2 to 6.5).

Single Dose Only. Discard Unused Portion.

Dextrose solutions without salts should not be used in  
blood transfusions because of possible Rouleau formation.  
Additive compatibility, consult pharmacist. When  
introducing additives, use aseptic technique, mix  
thoroughly and do not store.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled  
Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber  
latex. Non-PVC, Non-DEHP, Sterile.

Mfd. for:



Lake Zurich, IL 60047

Made in Norway

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

LOT

EXP

403428A

FUE 0075 01-69-04-001A

**1 2 3 4 5 6 7 8 9 0**



(01)00363323624064

# 5% Dextrose Injection, USP

**12.5 grams per 250 mL**  
(50 mg per mL)

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate, 5 g; water for injection, 100 mL.

252 mOsmol/LITER (CALC.) pH 4.3 (3.2 to 6.5).

Single Dose Only. Discard Unused Portion.

Dextrose solutions without salts should not be used in blood transfusions because of possible Rouleau formation. Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store.


**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00363323624040

Mfd. for:



**FRESENIUS  
KABI**

LOT

Lake Zurich, IL 60047

Made in Germany

EXP

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403211A

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

# 5% Dextrose Injection, USP

**25 grams per 500 mL**

(50 mg per mL)

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate, 5 g; water for injection, 100 mL.

252 mOsmol/LITER (CALC.) pH 4.3 (3.2 to 6.5).

Single Dose Only. Discard Unused Portion.

Dextrose solutions without salts should not be used in blood transfusions because of possible Rouleau formation.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store.


**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00363323624071

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047

Made in Germany

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403213B

LOT

EXP

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

# 5% Dextrose Injection, USP

**50 grams per 1,000 mL**  
(50 mg per mL)

For intravenous use.

Rx only

**Each 100 mL contains:** Dextrose monohydrate, 5 g; water for injection, 100 mL.

252 mOsmol/LITER (CALC.) pH 4.3 (3.2 to 6.5).

Single Dose Only. Discard Unused Portion.

Dextrose solutions without salts should not be used in blood transfusions because of possible Rouleau formation.

Additives may be incompatible. Consult with pharmacist. When introducing additives, use aseptic technique, mix thoroughly and do not store.


**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex. Non-PVC, Non-DEHP, Sterile.



(01)00363323624033

Mfd. for:



**FRESENIUS  
KABI**

Lake Zurich, IL 60047

Made in Germany

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403209A

LOT

EXP

**Sample label.  
Please see  
package insert  
for complete  
prescribing  
information.**

Sample label. Please see package insert  
for complete prescribing information.

**5% Dextrose Injection, USP** NDC 63323-624-05

**2.5 grams per 50 mL**  
(50 mg per mL)

For intravenous use.

Rx only

**Each 50 mL contains:** Dextrose monohydrate, 2.5 g;  
water for injection, 50 mL.

252 mOsmol/LITER (CALC.) pH 4.3 (3.2 to 6.5).

Single Dose Only. Discard Unused Portion.

Dextrose solutions without salts should not be used in  
blood transfusions because of possible Rouleau formation.  
Additive compatibility, consult pharmacist. When  
introducing additives, use aseptic technique, mix  
thoroughly and do not store.

**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled  
Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber  
latex. Non-PVC, Non-DEHP, Sterile.

Mfd. for:

LOT



Lake Zurich, IL 60047

Made in Norway

EXP

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)

403407

FUE 0076 01-69-04-005

1 2 3 4 5 6 7 8 9 0

