

## SAFETY DATA SHEET

### SECTION 1 : IDENTIFICATION

**Product Name:** **Furosemide Injection, USP**  
**Manufacturer Name:** Fresenius Kabi USA, LLC  
**Address:** Three Corporate Drive  
 Lake Zurich, Illinois 60047  
**General Phone Number:** (847) 550-2300  
**Customer Service Phone Number:** (888) 386-1300  
**Health Issues Information:** (800) 551-7176  
**SDS Creation Date:** January 08, 2009  
**SDS Revision Date:** June 01, 2015  
**(M)SDS Format:**

### SECTION 2 : HAZARD(S) IDENTIFICATION

GHS Pictograms:



**Signal Word:** DANGER.

**GHS Class:** Respiratory sensitisation. Category 1.  
 Reproductive toxicity. Category 2.  
 Skin Sensitization. Category 1.  
 Reproductive toxicity. Effects on or via lactation.

**Hazard Statements:** May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 Suspected of damaging fertility or the unborn child.  
 May cause an allergic skin reaction.  
 May cause harm to breast-fed children.

**Precautionary Statements:** Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Do not breathe dust/fume/gas/mist/vapours/spray.  
 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Avoid contact during pregnancy and while nursing.  
 Wash hands thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 In case of inadequate ventilation wear respiratory protection.  
 IF ON SKIN: Wash with plenty of water.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 IF exposed or concerned: Get medical advice/attention.  
 Specific treatment (see ... on this label).  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  
 Take off contaminated clothing and wash it before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

**Emergency Overview:** This product is intended for therapeutic use only when prescribed by a physician. Potential adverse reactions from prescribed doses and overdoses are described in the package insert.

**Route of Exposure:** Inhalation Ingestion Eye contact Skin Absorption. Injection.

**Potential Health Effects:**

**Eye:** Contact with eyes may cause irritation.

**Signs/Symptoms:** Adverse reactions from therapeutic doses include: pancreatitis, jaundice, anorexia, systemic vasculitis, interstitial nephritis, necrotizing angitis, tinnitus and hearing loss, paresthasias, vertigo, aplastic anemia, thrombocytopenia, agranulocytosis, exfoliative dermatitis, erythema multiforme, purpura, orthostatic hypotension, hyperglycemia, glycosuria, and hyperuricemia. Occupational exposure has not been fully investigated.

**Aggravation of Pre-Existing Conditions:** Individuals with anuria and hypersensitivity to furosemide.

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Furosemide	54-31-9	10 mg/mL	
Sodium Chloride	7647-14-5	To adjust isotonicity	
Water for Injection	7732-18-5	Quantity Sufficient	

## SECTION 4 : FIRST AID MEASURES

<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
<b>Skin Contact:</b>	Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.
<b>Inhalation:</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.
<b>Ingestion:</b>	If conscious, flush mouth out with water immediately. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
<b>Other First Aid:</b>	For Adverse Event Information, please call (800) 551-7176.

## SECTION 5 : FIRE FIGHTING MEASURES

<b>Flash Point:</b>	Not established.
<b>Flash Point Method:</b>	Not established.
<b>Auto Ignition Temperature:</b>	Not established.
<b>Lower Flammable/Explosive Limit:</b>	Not established.
<b>Upper Flammable/Explosive Limit:</b>	Not established.
<b>Fire Fighting Instructions:</b>	Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
<b>Extinguishing Media:</b>	Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Protective Equipment:</b>	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>Hazardous Combustion Byproducts:</b>	Thermal decomposition products may include smoke and toxic fumes. Oxides of carbon, oxides of nitrogen and other organic substances may be formed. Other undetermined low molecular weight hydrocarbon compounds may be released in small quantities depending upon specific conditions of combustion.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

<b>Personnel Precautions:</b>	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Avoid personal contact and breathing vapors or mists. Use proper personal protective equipment as listed in Section 8.
<b>Environmental Precautions:</b>	Avoid runoff into storm sewers, ditches, and waterways.
<b>Methods for containment:</b>	Contain spills with an inert absorbent material such as soil, sand or oil dry.
<b>Methods for cleanup:</b>	Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. After removal, flush spill area with soap and water to remove trace residue.

## SECTION 7 : HANDLING and STORAGE

<b>Handling:</b>	When handling pharmaceutical products, avoid all contact and inhalation of vapor, mists and/or fumes. Use with adequate ventilation. Use only in accordance with directions.
<b>Storage:</b>	Store at controlled room temperature 15 to 30°C (59 to 86°F). Protect from light.
<b>Work Practices:</b>	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
<b>Hygiene Practices:</b>	Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

## SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

<b>Engineering Controls:</b>	General ventilation is sufficient if this product is being used in a controlled medical setting (clinic, hospital, medical office) for its sole intended parenteral (injection) purpose. Otherwise, use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls including use of a biosafety cabinet / fume hood to control airborne levels below recommended exposure limits.
<b>Eye/Face Protection:</b>	Chemical splash goggles. Wear a face shield also when splash hazard exist.
<b>Skin Protection Description:</b>	Protective laboratory coat, apron, or disposable garment recommended.
<b>Hand Protection Description:</b>	Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data. Nitrile rubber or natural rubber gloves are recommended.
<b>Respiratory Protection:</b>	No personal respiratory protective equipment is normally required when this product is being used/administered by a licensed healthcare practitioner (i.e. an end-user such as a clinician / doctor /

nurse) for its sole intended parenteral (injection) purpose in a controlled medical setting. The need for respiratory protection will vary according to the airborne concentrations and environmental conditions. A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances. Consult the NIOSH web site (<http://www.cdc.gov/niosh/npptl/topics/respirators/>) for a list of respirator types and approved suppliers.

**Other Protective:**

Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

EXPOSURE GUIDELINES

**SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES**

Physical State:	Liquid solution.
Color:	Colorless.
Boiling Point:	Not established.
Melting Point:	206°C
Solubility:	Soluble. in water.
Vapor Density:	Not established.
Vapor Pressure:	Not established.
Percent Volatile:	Not established.
pH:	8.0 - 9.3
Molecular Formula:	Mixture
Molecular Weight:	330.75
Flash Point:	Not established.
Flash Point Method:	Not established.
Auto Ignition Temperature:	Not established.

**SECTION 10 : STABILITY and REACTIVITY**

Chemical Stability:	Stable under normal temperatures and pressures.
Hazardous Polymerization:	Not reported.
Conditions to Avoid:	Protect from light.

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**Acute Toxicity:** Adverse reactions from therapeutic doses include: pancreatitis, jaundice, anorexia, systemic vasculitis, interstitial nephritis, necrotizing angitis, tinnitus and hearing loss, paresthesias, vertigo, aplastic anemia, thrombocytopenia, agranulocytosis, exfoliative dermatitis, erythema multiforme, purpura, orthostatic hypotension, hyperglycemia, glycosuria, and hyperuricemia. Occupational exposure has not been fully investigated.

**Furosemide :**

**Acute Toxicity:** LD50 IV Mice: 300 to 680 mg/kg  
LD50 IV Rat: 300 to 680 mg/kg  
LD50 IV Dog: 300 to 680 mg/kg

**Furosemide :**

**IARC:** IARC: Group 3: Unclassifiable as to carcinogenicity to humans.

**Acute Effects:** Adverse reactions from therapeutic doses include: pancreatitis, jaundice, anorexia, systemic vasculitis, interstitial nephritis, necrotizing angitis, tinnitus and hearing loss, paresthesias, vertigo, aplastic anemia, thrombocytopenia, agranulocytosis, exfoliative dermatitis, erythema multiforme, purpura, orthostatic hypotension, hyperglycemia, glycosuria, and hyperuricemia. Occupational exposure has not been fully investigated.

**Teratogenicity:** Pregnancy Category C:  
There are no adequate and well-controlled studies in pregnant women.

**Furosemide :**

**RTECS Number:** CB2625000

**Ingestion:** Oral - Rat LD50: 2600 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Oral - Mouse LD50: 2 gm/kg [Details of toxic effects not reported other than lethal dose value]

**Other Toxicological Information:** Intravenous. - Human TDLo: 1300 ug/kg [Cardiac - other changes Vascular - regional or general arteriolar constriction]  
Intravenous. - Rat LD50: 800 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Intravenous. - Mouse LD50: 308 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Intravenous. - Rabbit LD50: 400 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Intravenous. - Rat TDLo: 30 mg/kg [Kidney/Ureter/Bladder - urine volume increased  
Kidney/Ureter/Bladder - other changes in urine composition Kidney/Ureter/Bladder - other changes]  
Intravenous. - Human TDLo: 0.083 mg/kg/1H [Vascular - BP elevation not characterized in autonomic section]  
Intravenous. - Rat TDLo: 7.5 mg/kg [Vascular - BP lowering not characterized in autonomic section  
Kidney/Ureter/Bladder - urine volume increased Nutritional and Gross Metabolic - changes in sodium]  
Subcutaneous - Rat LD50: 4600 mg/kg [Details of toxic effects not reported other than lethal dose

value]  
 Subcutaneous - Rat TDLo: 2 mg/kg [Kidney/Ureter/Bladder - changes in blood vessels or in circulation of kidney Kidney/Ureter/Bladder - urine volume increased Kidney/Ureter/Bladder - other changes in urine composition]  
 Subcutaneous - Human TDLo: 0.29 mg/kg [Kidney/Ureter/Bladder - urine volume increased Kidney/Ureter/Bladder - other changes in urine composition Nutritional and Gross Metabolic - changes in sodium]  
 Subcutaneous - Rat TDLo: 20 mg/kg [Behavioral - fluid intake Nutritional and Gross Metabolic - changes in sodium]  
 Subcutaneous - Human TDLo: 0.286 mg/kg [Kidney/Ureter/Bladder - urine volume increased Skin and Appendages - dermatitis, irritative (after systemic exposure) Nutritional and Gross Metabolic - changes in sodium]  
 Subcutaneous - Rat TDLo: 448 mg/kg/7D (continuous) [Kidney/Ureter/Bladder - other changes Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - other oxidoreductases]  
 Subcutaneous - Rat TDLo: 84 mg/kg/7D (continuous) [Kidney/Ureter/Bladder - urine volume increased Kidney/Ureter/Bladder - other changes in urine composition Kidney/Ureter/Bladder - other changes]  
 Intraperitoneal. - Rat LD50: 800 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intraperitoneal. - Mouse LD50: 430 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intraperitoneal. - Rat TDLo: 500 mg/kg [Liver - liver function tests impaired Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - transaminases Biochemical - Metabolism (Intermediary) - other]  
 Intraperitoneal. - Mouse TDLo: 400.2 mg/kg [Liver - hepatitis (hepatocellular necrosis), zonal Liver - other changes Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - transaminases]  
 Intraperitoneal. - Rat TDLo: 0.7 mg/kg/7D (intermittent) [Blood - other changes Nutritional and Gross Metabolic - changes in potassium]  
 Intraperitoneal. - Mouse Cytogenetic analysis: 312 ug/kg  
 Intraperitoneal. - Mouse TDLo: 1560 ug/kg [Reproductive - Paternal Effects - spermatogenesis (incl. genetic material, sperm morphology, motility, and count)]

**Sodium Chloride :**

**RTECS Number:** VZ4725000

**Eye:** Eye - Rabbit Standard Draize test.: 10 mg [Moderate]

**Skin:** Administration onto the skin - Rabbit LD50: >10 gm/kg [Details of toxic effects not reported other than lethal dose value]  
 Administration onto the skin - Rabbit Standard Draize test.: 50 mg/24H [mild]  
 Administration onto the skin - Rabbit Standard Draize test.: 500 mg/24H [mild]

**Inhalation:** Inhalation - Rat LC50: >42 gm/m<sup>3</sup>/1H [Details of toxic effects not reported other than lethal dose value]

**Ingestion:** Oral - Mouse LD50: 4 gm/kg [Details of toxic effects not reported other than lethal dose value]  
 Oral - Rat LD50: 3000 mg/kg [Details of toxic effects not reported other than lethal dose value]

**Other Toxicological Information:** Intravenous. - Mouse LD50: 645 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intravenous. - Rabbit LDLo: 1100 mg/kg [Behavioral - convulsions or effect on seizure threshold Behavioral - muscle contraction or spasticity Cardiac - other changes]  
 Intravenous. - Guinea pig LDLo: 300 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intravenous. - Mouse TDLo: 2.1 mg/kg [Vascular - other changes Blood - hemorrhage Skin and Appendages - dermatitis, irritative (after systemic exposure)]  
 Intravenous. - Rabbit LDLo: 1.5 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intravenous. - Rabbit TDLo: 0.04 mg/kg [Vascular - other changes Blood - hemorrhage Skin and Appendages - dermatitis, irritative (after systemic exposure)]  
 Subcutaneous - Rat LDLo: 3500 mg/kg [Behavioral - irritability]  
 Subcutaneous - Mouse LD50: 3 gm/kg [Details of toxic effects not reported other than lethal dose value]  
 Subcutaneous - Guinea pig LDLo: 2160 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Subcutaneous - Rabbit TDLo: 0.04 mg/kg [Vascular - other changes Skin and Appendages - dermatitis, irritative (after systemic exposure)]  
 Subcutaneous - Mouse TDLo: 1900 mg/kg [Reproductive - Effects on Embryo or Fetus - fetal death]  
 Subcutaneous - Mouse TDLo: 1900 mg/kg [Reproductive - Specific Developmental Abnormalities - musculoskeletal system]  
 Subcutaneous - Mouse TDLo: 2500 mg/kg [Reproductive - Effects on Embryo or Fetus - fetotoxicity (except death, e.g., stunted fetus)]  
 Subcutaneous - Mouse TDLo: 13440 mg/kg [Reproductive - Fertility - abortion]  
 Intraperitoneal. - Mouse LD50: 2602 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intraperitoneal. - Rat LD50: 2600 mg/kg [Details of toxic effects not reported other than lethal dose value]  
 Intraperitoneal. - Rat LDLo: 3.72 gm/kg [Behavioral - tremor Behavioral - convulsions or effect on seizure threshold]  
 Intraperitoneal. - Rat TDLo: 1710 mg/kg [Reproductive - Effects on Embryo or Fetus - fetotoxicity (except death, e.g., stunted fetus) Reproductive - Effects on Embryo or Fetus - fetal death Reproductive - Specific Developmental Abnormalities - musculoskeletal system]  
 Intraperitoneal. - Rat TDLo: 10 gm/kg [Reproductive - Effects on Newborn - behavioral]  
 Intraperitoneal. - Rat Cytogenetic analysis: 2338 mg/kg

**SECTION 12 : ECOLOGICAL INFORMATION**

**Ecotoxicity:** No ecotoxicity data was found for the product.

**Environmental Stability:** No environmental information found for this product.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Dispose of in accordance with Local, State, Federal and Provincial regulations.

**SECTION 14 : TRANSPORT INFORMATION**

**DOT Shipping Name:** Not Regulated.

DOT UN Number: Not Regulated.

---

## SECTION 15 : REGULATORY INFORMATION

---

### Furosemide :

EINECS Number: 200-203-6

Canada DSL: Listed

### Sodium Chloride :

TSCA Inventory Status: Listed

EINECS Number: 231-598-3

Canada DSL: Listed

### Water for Injection :

TSCA Inventory Status: Listed

Canada DSL: Listed

---

## SECTION 16 : ADDITIONAL INFORMATION

---

### HMIS Ratings:

SDS Creation Date: January 08, 2009

SDS Revision Date: June 01, 2015

SDS Format:

### Disclaimer:

The information contained herein pertains to this material. It is the responsibility of each individual party to determine for themselves the proper means of handling and using these materials based on their purpose and intended use. Fresenius-Kabi assumes no liability resulting from the use of or reliance upon the information contained in this material safety data sheet. This material safety data sheet does not constitute the guaranty or specifications of the product.

Copyright© 1996-2015 Actio Corporation. All Rights Reserved.