

## SAFETY DATA SHEET

### SECTION 1 : IDENTIFICATION

**Product Name:** Haloperidol Decanoate Injection  
**Manufacturer Name:** Fresenius Kabi USA, LLC  
**Address:** Three Corporate Drive  
 Lake Zurich, Illinois 60047  
**General Phone Number:** (847) 550-2300  
**Customer Service Phone Number:** (888) 386-1300  
**Health Issues Information:** (800) 551-7176  
**SDS Creation Date:** January 08, 2009  
**SDS Revision Date:** October 30, 2023

### SECTION 2 : HAZARD(S) IDENTIFICATION

GHS Pictograms:



Signal Word:

WARNING.

GHS Class:

Reproductive toxicity. Category 2.  
 Acute Oral Toxicity. Category 4.  
 Specific Target Organ Toxicity - STOT, Single Exposure SE. Category 3.  
 Reproductive toxicity. Effects on or via lactation.

Hazard Statements:

Suspected of damaging fertility or the unborn child.  
 Harmful if swallowed.  
 May cause respiratory irritation.  
 May cause harm to breast-fed children.

Precautionary Statements:

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Do not breathe dust/fume/gas/mist/vapours/spray.  
 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Avoid contact during pregnancy and while nursing.  
 Wash hands thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 IF exposed or concerned: Get medical advice/attention.  
 Call a POISON CENTER or doctor/physician if you feel unwell.  
 Rinse mouth.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.  
 Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Emergency Overview:

This product is intended for therapeutic use only when prescribed by a physician. Potential adverse reactions from prescribed doses and overdoses are described in the package insert.

Route of Exposure:

Inhalation Ingestion Eye contact Skin Absorption. Injection.

Potential Health Effects:

Eye: Contact with eyes may cause irritation.

Skin: May cause skin irritation.

Inhalation: May cause irritation of respiratory tract.

Ingestion: May cause irritation.

Signs/Symptoms:

Adverse effects from therapeutic doses include: extrapyramidal symptoms (Parkinson-like symptoms, akathisia, or dystonia), tardive dyskinesia (involuntary, dyskinetic movements), tardive dystonia, insomnia, restlessness, anxiety, euphoria, agitation, drowsiness, depression, lethargy, headache, confusion, vertigo, grand mal seizures, exacerbation of psychotic symptoms, neuroleptic malignant syndrome, tachycardia, hypotension, hypertension, mild and transient leukopenia and leukocytosis, impaired liver function, maculopapular and acneiform skin reactions, lactation, breast engorgement, anorexia, constipation, dry mouth, blurred vision, laryngospasm, bronchospasm, cataracts, and visual disturbances. Occupational exposure has not been fully investigated.

Aggravation of Pre-Existing Conditions:

Individuals who are hypersensitive to this drug or have Parkinson's Disease.

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
---------------	------	--------------------	---------

Haloperidol Decanoate	74050-97-8	- %
Benzyl Alcohol	100-51-6	1.2% % 1.2% by weight 1.2% by Volume
Sesame Oil	526-07-8	Quantity Sufficient

## SECTION 4 : FIRST AID MEASURES

<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
<b>Skin Contact:</b>	Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.
<b>Inhalation:</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.
<b>Ingestion:</b>	If conscious, flush mouth out with water immediately. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
<b>Other First Aid:</b>	For Adverse Event Information, please call (800) 551-7176.

## SECTION 5 : FIRE FIGHTING MEASURES

<b>Flash Point:</b>	200 °F
<b>Flash Point Method:</b>	Cleveland closed cup.
<b>Auto Ignition Temperature:</b>	Not established.
<b>Lower Flammable/Explosive Limit:</b>	Not established.
<b>Upper Flammable/Explosive Limit:</b>	Not established.
<b>Fire Fighting Instructions:</b>	Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
<b>Extinguishing Media:</b>	Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Protective Equipment:</b>	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.
<b>Hazardous Combustion Byproducts:</b>	Thermal decomposition products may include smoke and toxic fumes. Oxides of carbon, oxides of nitrogen and other organic substances may be formed. Other undetermined low molecular weight hydrocarbon compounds may be released in small quantities depending upon specific conditions of combustion.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Avoid personal contact and breathing vapors or mists. Use proper personal protective equipment as listed in Section 8.
<b>Environmental Precautions:</b>	Avoid runoff into storm sewers, ditches, and waterways.
<b>Methods for containment:</b>	Contain spills with an inert absorbent material such as soil, sand or oil dry.
<b>Methods for cleanup:</b>	Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. After removal, flush spill area with soap and water to remove trace residue.

## SECTION 7 : HANDLING and STORAGE

<b>Handling:</b>	When handling pharmaceutical products, avoid all contact and inhalation of vapor, mists and/or fumes. Use with adequate ventilation. Use only in accordance with directions.
<b>Storage:</b>	Store at controlled room temperature 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature]. Protect from light. Do not refrigerate or freeze. Retain in carton until time of use.
<b>Work Practices:</b>	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
<b>Hygiene Practices:</b>	Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

## SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

<b>Engineering Controls:</b>	General ventilation is sufficient if this product is being used in a controlled medical setting (clinic, hospital, medical office) for its sole intended parenteral (injection) purpose. Otherwise, use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls including use of a biosafety cabinet / fume hood to control airborne levels below recommended exposure limits.
<b>Eye/Face Protection:</b>	Chemical splash goggles. Wear a face shield also when splash hazard exist.
<b>Skin Protection Description:</b>	Protective laboratory coat, apron, or disposable garment recommended.
<b>Hand Protection Description:</b>	Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data. Nitrile rubber or natural rubber gloves are recommended.
<b>Respiratory Protection:</b>	No personal respiratory protective equipment is normally required when this product is being used/administered by a licensed healthcare practitioner (i.e. an end-user such as a clinician / doctor / nurse) for its sole intended parenteral (injection) purpose in a controlled medical setting. The need for respiratory protection will vary according to the airborne concentrations and environmental conditions. A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances. Consult the NIOSH web site ( <a href="http://www.cdc.gov/niosh/npptl/topics/respirators/">http://www.cdc.gov/niosh/npptl/topics/respirators/</a> ) for a list of respirator types and approved suppliers.
<b>Other Protective:</b>	Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

## EXPOSURE GUIDELINES

### SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid solution.
<b>Color:</b>	Pale Yellow light amber
<b>Boiling Point:</b>	Not established.
<b>Melting Point:</b>	Not established.
<b>Solubility:</b>	Insoluble in water.(0.01 mg/ml). Soluble in most organic solvents.
<b>Vapor Density:</b>	Not established.
<b>Vapor Pressure:</b>	Not established.
<b>Percent Volatile:</b>	Not established.
<b>pH:</b>	3.0 - 3.8
<b>Molecular Formula:</b>	Mixture
<b>Molecular Weight:</b>	530.12
<b>Flash Point:</b>	200 °F
<b>Flash Point Method:</b>	Cleveland closed cup.
<b>Auto Ignition Temperature:</b>	Not established.

### SECTION 10 : STABILITY and REACTIVITY

<b>Chemical Stability:</b>	Stable under normal temperatures and pressures.
<b>Hazardous Polymerization:</b>	Not reported.
<b>Conditions to Avoid:</b>	Protect from light, heat, and freezing. Do not refrigerate.
<b>Incompatible Materials:</b>	Avoid contact with oxidizing agents.

### SECTION 11 : TOXICOLOGICAL INFORMATION

<b>Acute Toxicity:</b>	Eye, skin, and respiratory irritation may occur. Moderately toxic by ingestion.
<b><u>Haloperidol Decanoate :</u></b>	
<b>Acute Toxicity:</b>	LD50 IP Rat: 27 mg/kg LD50 IP Mouse: 30 mg/kg LD50 SC Mouse: 41 mg/kg LD50 IV Mouse: 15 mg/kg TDLO Multiple Man: 343 mcg/kg LD50 IV Dog: 18 mg/kg
<b>Acute Effects:</b>	Eye, skin, and respiratory irritation may occur. Moderately toxic by ingestion.
<b>Chronic Effects:</b>	Hypersensitivity reactions ranging from mild to severe may occur.
<b><u>Haloperidol Decanoate :</u></b>	
<b>RTECS Number:</b>	HD9350000
<b>Ingestion:</b>	Oral - Rat LD50: 1717 mg/kg [Sense Organs and Special Senses (Eye) - Lacrimation Sense Organs and Special Senses (Eye) - Ptosis Behavioral - Somnolence (general depressed activity) ] Oral - Mouse LD50: 739 mg/kg [Sense Organs and Special Senses (Eye) - Ptosis Behavioral - Somnolence (general depressed activity) ]

**Other Toxicological Information:** Subcutaneous - Rat LD50: 780 mg/kg [Sense Organs and Special Senses (Eye) - lacrimation Sense Organs and Special Senses (Eye) - ptosis Behavioral - somnolence (general depressed activity) ]  
Subcutaneous - Mouse LD50: 1990 mg/kg [Sense Organs and Special Senses (Eye) - ptosis Behavioral - somnolence (general depressed activity) ]  
Intraperitoneal. - Rat LD50: 328 mg/kg [Sense Organs and Special Senses (Eye) - lacrimation Sense Organs and Special Senses (Eye) - ptosis Behavioral - somnolence (general depressed activity) ]  
Intraperitoneal. - Mouse LD50: 288 mg/kg [Sense Organs and Special Senses (Eye) - ptosis Behavioral - somnolence (general depressed activity) ]  
Gastrointestinal - hypermotility, diarrhea ]

**Benzyl Alcohol :**

**RTECS Number:** DN3150000

**Skin:** Administration onto the skin - Rabbit LD50: 2000 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Administration onto the skin - Rabbit Standard Draize test.: 100 mg/24H  
Administration onto the skin - Rat LD50: 100 pph/90M [Details of toxic effects not reported other than lethal dose value]

**Inhalation:** Inhalation - Mouse LC50: >500 mg/m3 [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]  
Inhalation - Rat LC50: >500 mg/m3 [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]

**Ingestion:** Oral - Rat LD50: 1230 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Excitement Behavioral - Coma]  
Oral - Mouse LD50: 1360 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Oral - Mouse LD50: 1360 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]  
Oral - Rat LD50: 1660 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]  
Oral - Rat LD50: 1.5 mL/kg [Details of toxic effects not reported other than lethal dose value]

**Other Toxicological Information:** Intravenous. - Rat LD50: 53 mg/kg [Lungs, Thorax, or Respiration - dyspnea]  
Intravenous. - Mouse LD50: 324 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Subcutaneous - Rat LDLo: 1700 mg/kg [Sense Organs and Special Senses (Eye) - miosis (pupillary constriction) Behavioral - coma Kidney/Ureter/Bladder - other changes]  
Intraperitoneal. - Rat LD50: 400 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Intraperitoneal. - Mouse LD50: 650 mg/kg [Behavioral - altered sleep time (including change in righting reflex) Behavioral - somnolence (general depressed activity) Lungs, Thorax, or Respiration - dyspnea]  
Intraperitoneal. - Rat LDLo: 650 mg/kg [Behavioral - somnolence (general depressed activity) Behavioral - ataxia Lungs, Thorax, or Respiration - respiratory depression]  
Intraperitoneal. - Rat TDLo: 514 mg/kg [Behavioral - ataxia]

**SECTION 12 : ECOLOGICAL INFORMATION**

**Ecotoxicity:** No ecotoxicity data was found for the product.

**Environmental Stability:** No environmental information found for this product.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Dispose of in accordance with Local, State, Federal and Provincial regulations.

**SECTION 14 : TRANSPORT INFORMATION**

**DOT Shipping Name:** Not Regulated.

**DOT UN Number:** Not Regulated.

**SECTION 15 : REGULATORY INFORMATION**

**Haloperidol Decanoate :**

**EINECS Number:** 277-679-7

**Canada DSL:** Listed

**Benzyl Alcohol :**

**TSCA Inventory Status:** Listed

**EINECS Number:** 202-859-9

**Canada DSL:** Listed

**Canada IDL:** Identified under the Canadian Hazardous Products Act Ingredient Disclosure List: 0.1%.169(170)

**SECTION 16 : ADDITIONAL INFORMATION**

**HMIS Ratings:**

HMIS Health Hazard: 2\*  
HMIS Fire Hazard: 1  
HMIS Reactivity: 0  
HMIS Personal Protection: X

SDS Creation Date: January 08, 2009

SDS Revision Date: October 30, 2023

SDS Revision Notes: Updated HMIS Ratings for Health, Flammability, Reactivity, and Personal Protective Equipment (PPE).

**Disclaimer:** The information contained herein pertains to this material. It is the responsibility of each individual party to determine for themselves the proper means of handling and using these materials based on their purpose and intended use. Fresenius-Kabi assumes no liability resulting from the use of or reliance upon the information contained in this material safety data sheet. This material safety data sheet does not constitute the guaranty or specifications of the product.

Copyright© 1996-2018 Enviance. All Rights Reserved.