

805120/05

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to

500 mg per vial

ampicillin
For IV or IM Use



621734

**Sample label.
Please see
package insert
for complete
prescribing
information.**



Interpack
V1416
0402-19

Made in Italy

Manufactured for:
**FRESENIUS
KABI**
Lake Zurich, IL 60047
by IBI

FOR IM USE: Add 1.8 mL diluent (see insert). The resulting solution contains 250 mg ampicillin per mL.
IM or IV Injection: USE SOLUTION WITHIN 1 HOUR.
IV Infusion: See package insert.
Usual dosage: Children - 25 to 50 mg/kg/day in equally divided doses at 6 hour intervals. Adults - 250 to 500 mg every 6 hours.
Read enclosed insert for detailed indications, IM or IV dosage and precautions.
Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].
This container closure is not made with natural rubber latex.

ampicillin
500 mg per vial
ampicillin sodium equivalent to
AMPICILLIN
FOR INJECTION, USP

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to
500 mg per vial
ampicillin
For IV or IM Use



NDC 65219-016-10

149500

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to
500 mg per vial
ampicillin

For IV or IM Use



Rx only
10 Vials