

805140/05

AMPICILLIN

FOR INJECTION, USP

ampicillin sodium equivalent to

2 g per vial

ampicillin

For IV Use



621736

Sample label.
Please see
package insert
for complete
prescribing
information.



VT288
04-19

Made in Italy



Manufactured for:
Lake Zurich, IL 60047
by IBI

For DIRECT IV USE: Add 14.8 mL Sterile Water for Injection USP. The resulting solution contains 125 mg ampicillin per mL.
IV Injection: USE SOLUTION WITHIN 1 HOUR.
IV Infusion: See package insert.
Usual dosage: Adults - 250 to 500 mg IV every 6 hours. Read accompanying insert for detailed indications.
dosage and precautions.
Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].
This container closure is not made with natural rubber latex.

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to
2 g per vial
ampicillin

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to
2 g per vial
ampicillin
For IV Use



(01)20365219020237

NDC 65219-020-23

149002

AMPICILLIN
FOR INJECTION, USP
ampicillin sodium equivalent to
2 g per vial
ampicillin

For IV Use



Rx only
10 Vials