

GTIN: 00363323393069

Colistin base activity

150 mg* per vial

Colistimethate
for Injection, USP

Colistimethate
for Injection, USP

150 mg* per vial

Colistin base activity



3 NDC 63323-393-06 9

 **FRESENIUS
KABI**
Lake Zurich, IL 60047

www.fresenius-kabi.us

**Sample label. Please see
package insert for complete
prescribing information.**

Colistimethate
for Injection, USP

150 mg* per vial

Colistin base activity

For intramuscular and
intravenous use.

Rx only
One Sterile Vial

 **FRESENIUS
KABI**

Colistimethate
for Injection, USP

150 mg* per vial

Colistin base activity

***Each vial contains:** Sterile colistimethate sodium, USP equivalent to 150 mg colistin base activity. The sodium content is approximately 0.07 mg (0.003 mEq) of sodium per milligram of colistin.

Usual dosage: 2 to 4 divided doses at dose levels of 2.5 to 5 mg/kg/day for patients with normal renal function, depending on the severity of the infection. See package insert for full prescribing information and directions on reconstitution.

One Sterile Vial

 **FRESENIUS
KABI**

Colistimethate
for Injection, USP

150 mg* per vial

Colistin base activity

STORE AT: 20° to 25°C (68° to 77°F)
[see USP Controlled Room
Temperature].

After reconstitution: Refrigerate at 2° to 8°C (36° to 46°F) or store at 20° to 25°C (68° to 77°F) and use within 7 days.

The container closure is not made with natural rubber latex.

One Sterile Vial

 **FRESENIUS
KABI**