

**Sample Label. Please see package insert
for complete prescribing information.**

NDC 63323-597-10

509710

**Deferoxamine
Mesylate**
for Injection, USP

500 mg per vial

For subcutaneous, intramuscular
or intravenous use.

Rx only
Single-Dose Vial



**Deferoxamine
Mesylate**
for Injection, USP

500 mg per vial

STORE AT: 20°C to 25°C (68°F to 77°F) [see USP
Controlled Room Temperature].
Keep this and all drugs out of the reach of children.
The container closure is not made with natural
rubber latex.

Single-Dose Vial



NDC 63323-597-10

509710

**Deferoxamine
Mesylate**
for Injection, USP

500 mg per vial



3 63323-597-10 8

**FRESENIUS
KABI**
Lake Zurich, IL 60047

www.fresenius-kabi.com/us

**Deferoxamine
Mesylate**
for Injection, USP

500 mg per vial

Sterile.

Each vial contains: Deferoxamine mesylate USP,
500 mg in lyophilized form.

Deferoxamine mesylate reconstituted with sterile
water for injection should be used immediately
after reconstitution (commencement of treatment
within 3 hours) for microbiological safety. When
reconstituted under validated aseptic conditions (in
a sterile laminar flow hood using aseptic technique),
the product may be stored at room temperature a
maximum period of 24 hours before use.

**Do not refrigerate reconstituted solution.
Turbid solutions should not be used.**

Usual dosage: See package insert.

Single-Dose Vial



62947C

GTIN: 00363323597108

**Deferoxamine
Mesylate**
for Injection, USP
500 mg per vial