

M027820/04 US  
629366

**Sterile, nonpyrogenic**  
**SHAKE WELL BEFORE USING**

**Dosage:** See package insert.

In addition to the active component, propofol, the formulation contains: soybean oil (100 mg/mL), glycerol (22.5 mg/mL), egg lecithin (12 mg/mL), and disodium edetate anhydrous (0.05 mg/mL); with sodium hydroxide to adjust pH.

DIPRIVAN should be administered only by persons trained in the administration of general anesthesia and not involved in the conduct of the surgical/diagnostic procedure.

**Facilities for maintenance of a patent airway, artificial ventilation, and oxygen enrichment and circulatory resuscitation must be immediately available.**

Store between 4 °C to 25 °C (40 °F to 77 °F). Do not freeze.

• Use strict aseptic technique  
• Contains EDTA, which inhibits microbial growth up to 12 hours, discard within 12 hours of opening

Rx only

DIPRIVAN is a trademark of Fresenius Kabi USA, LLC.  
Manufactured for:  
**FRESENIUS KABI**  
Lake Zurich, IL 60047  
Made in Austria



(01)20363323269658

NDC 63323-269-65 260965  
**DIPRIVAN®**  
(Propofol) INJECTABLE EMULSION, USP

1000 mg per 100 mL  
(10 mg per mL)

FOR INTRAVENOUS ADMINISTRATION

**SHAKE WELL BEFORE USING**

Ten 100 mL Vials

Single-Dose Vials

Rx only

• Use strict aseptic technique  
• Contains EDTA, which inhibits microbial growth up to 12 hours, discard within 12 hours of opening

NDC 63323-269-65 260965  
**DIPRIVAN®**  
(Propofol) INJECTABLE EMULSION, USP

1000 mg per 100 mL  
(10 mg per mL)

FOR INTRAVENOUS ADMINISTRATION

**SHAKE WELL BEFORE USING**

Ten 100 mL Vials

Single-Dose Vials

Rx only

• Use strict aseptic technique  
• Contains EDTA, which inhibits microbial growth up to 12 hours, discard within 12 hours of opening

Sample label. Please see package insert  
for complete prescribing information.



Rx only

• Use strict aseptic technique  
• Contains EDTA, which inhibits microbial growth up to 12 hours, discard within 12 hours of opening

Single-Dose Vials

Ten 100 mL Vials

**SHAKE WELL BEFORE USING**

FOR INTRAVENOUS ADMINISTRATION

1000 mg per 100 mL  
(10 mg per mL)

(Propofol) INJECTABLE EMULSION, USP

**DIPRIVAN®**

NDC 63323-269-65 260965

NDC 63323-269-65 260965  
**DIPRIVAN®**  
(Propofol) INJECTABLE EMULSION, USP

1000 mg per 100 mL  
(10 mg per mL)

FOR INTRAVENOUS ADMINISTRATION

**SHAKE WELL BEFORE USING**

Ten 100 mL Vials

Single-Dose Vials

Rx only

• Use strict aseptic technique  
• Contains EDTA, which inhibits microbial growth up to 12 hours, discard within 12 hours of opening



LOT  
EXP  
S/N