


Sample Label. Please see package insert
for complete prescribing information.


1312000146-02

Enoxaparin Sodium Injection, USP


Directions for Use of Enoxaparin Sodium Injection, USP
Single Dose Syringe with Automatic Safety Device:




1. Remove the needle shield by pulling it straight off the syringe. If adjusting the dose is required, the dose adjustment must be done prior to injecting the prescribed dose to the patient.



2. Inject using standard technique, pushing the plunger to the bottom of the syringe.



3. Remove the syringe from the injection site keeping your finger on the plunger rod.



4. Orienting the needle away from you and others, activate the safety system by firmly pushing the plunger rod. The protective sleeve will automatically cover the needle and an audible "click" will be heard to confirm shield activation.



5. Immediately dispose of the syringe in the nearest sharps container.

NOTE:

- The safety system can only be activated once the syringe has been emptied.
- Activation of the safety system must be done only after removing the needle from the patient's skin.
- Do not replace the needle shield after injection.

- The safety system should not be sterilized.
- Activation of the safety system may cause minimal splatter of fluid. For optimal safety activate the system while orienting it downwards away from yourself and others.

NDC 63323-564-97

Rx only

Enoxaparin Sodium Injection, USP

40 mg per 0.4 mL

SINGLE DOSE SYRINGES WITH
AUTOMATIC SAFETY DEVICE

FOR SUBCUTANEOUS INJECTION

Sterile

10 x 0.4 mL Syringes



(01)20363323564975

www.fresenius-kabi.com/us

556497

NDC 63323-564-97

Rx only

Enoxaparin Sodium Injection, USP

40 mg per 0.4 mL

SINGLE DOSE SYRINGES WITH AUTOMATIC SAFETY DEVICE

FOR SUBCUTANEOUS INJECTION

Sterile

10 x 0.4 mL Syringes



NDC 63323-564-97

Rx only

Enoxaparin Sodium Injection, USP

40 mg per 0.4 mL

Each Enoxaparin Sodium Injection, USP Syringe contains 40 mg enoxaparin sodium injection derived from porcine intestinal mucosa in Water for Injection.

Dosage and Administration:

For subcutaneous injection. See package insert for dosage information and directions for use.

WARNING: Keep out of reach of children.

Store at 20° to 25°C (68° to 77°F)
[see USP Controlled Room Temperature].



(01)20363323564975

Manufactured for:



Lake Zurich, IL 60047

Made in India
Code No.: AP/DRUGS/103/97

621707A

www.fresenius-kabi.com/us