

GTIN: 00363323698300

1 x 30 mL Multiple-Dose Vial

**Epinephrine
Injection, USP**
30 mg/30 mL
(1 mg/mL)

NDC 63323-698-30

**Epinephrine
Injection, USP**

30 mg/30 mL
(1 mg/mL)

**For Intravenous Infusion,
Intramuscular and
Subcutaneous Use**

Dilute before Intravenous Infusion

Not for Ophthalmic Use

Recommended Dosage: See prescribing
information.

Each mL contains 1 mg epinephrine, 0.5 mg citric
acid, 1 mg methylparaben, 8.6 mg sodium chloride,
0.25 mg sodium metabisulfite, hydrochloric acid for
pH adjustment, and water for injection, USP.

WARNING: Do not use the solution if it is colored
or cloudy, or if it contains particulate matter.

Prior to intravenous infusion, dilute 1 mL (1 mg) of
epinephrine in 1,000 mL of a 5% Dextrose Solution
or 5% Dextrose and Sodium Chloride Solution to
produce a resulting concentration of 1 mcg/mL.

Store between 20°C to 25°C (68°F to 77°F).
(See USP Controlled Room Temperature.)

Protect from light and freezing.

**Epinephrine
Injection, USP**

30 mg/30 mL
(1 mg/mL)



(01)00363323698300

1 x 30 mL Multiple-Dose Vial

Rx only

NDC 63323-698-30

**Epinephrine
Injection, USP**

30 mg/30 mL
(1 mg/mL)

**For Intravenous Infusion,
Intramuscular and
Subcutaneous Use**

Dilute before Intravenous Infusion

Not for Ophthalmic Use

Discard 30 days after initial use

Discard on ____ / ____ / ____

1 x 30 mL Multiple-Dose Vial

Rx only

**Epinephrine
Injection, USP**

30 mg/30 mL
(1 mg/mL)

**For Intravenous Infusion,
Intramuscular and
Subcutaneous Use**

Dilute before Intravenous Infusion

Not for Ophthalmic Use

 **FRESENIUS
KABI**
Lake Zurich, IL 60047

www.fresenius-kabi.com/us

621893A



(01)00363323698300