

GEMCITABINE
FOR INJECTION, USP
1 g per vial

**Sample label. Please see package insert
for complete prescribing information.**

NDC 63323-125-53

FK102550

Sterile, Lyophilized

Each vial contains gemcitabine HCl equivalent to 1 g gemcitabine and inactives: 1 g mannitol and 62.5 mg sodium acetate. Hydrochloric acid and/or sodium hydroxide may have been used to adjust pH.

Usual Adult Dose: See accompanying package insert.

To reconstitute: Add 25 mL of 0.9% Sodium Chloride Injection (without preservatives) to make a solution containing 38 mg/mL. Shake to dissolve.

Administer solution within 24 hours.

Discard unused portion.

To prepare IV solution- See accompanying package insert.

Storage: Prior to and after reconstitution, store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

The container closure is not made with natural rubber latex.

Caution: Gemcitabine Hydrochloride is potentially cytotoxic. Great care should be taken to prevent inhaling particles and exposing the skin to it.

NDC 63323-125-53

FK102550

GEMCITABINE
FOR INJECTION, USP

1 g per vial

For Intravenous use only

Must Be Diluted

DO NOT REFRIGERATE

Cytotoxic Agent

Rx only

Single-Dose Vial

For Product Inquiry:
1-800-551-7176 or

www.fresenius-kabi.com/us



**FRESENIUS
KABI**
Lake Zurich, IL 60047

**FRESENIUS
KABI**

**FRESENIUS
KABI**