## NDC 65219-**383**-05 **Rx Only** lodixanol Injection, USP

## 320 mg lodine/mL

## For Intra-arterial and Intravenous Use Only in polypropylene bottle 10 × 50 mL Single-Dose Bottles **Discard Unused Portion**

**Sterile Aqueous Injection** 

NOT FOR INTRATHECAL USE

## Manufactured for: **FRESENIUS** KABI Lake Zurich, IL 60047 www.fresenius-kabi.com/us For inquires call 1-800-551-7176 Made in China

SP23CUS02

42633A

290 mOsm/kg water. No preservative added. Each bottle for one procedure only. Discard unused portion. Usual Dosage: For indications and dosage, see package insert. Protect from light if removed from carton. Store at 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature]. Do not freeze. Sample Label. (01)20365219383059 Please see package insert for complete

Each 1 mL contains 652 mg of iodixanol (320 mg organically bound iodine), 0.044 mg calcium chloride dihydrate, 1.11 mg sodium chloride, 1.2 mg tromethamine, and 0.1 mg edetate calcium disodium. The pH is adjusted to 7.4

with hydrochloric acid and/or sodium hydroxide to achieve a range between pH 6.8 and 7.7. Osmolality is

prescribing

information.