

SN:
EXP:
Lot:

**Sample label. Please see package insert
for complete prescribing information.**

For Intravenous or Intramuscular Use

500 mg* per 50 mL
(10 mg per mL)

**Leucovorin
Calcium**
Injection, USP
NDC 63323-631-50

M028150/00 US

Usual Dosage: See Package Insert.

Store in refrigerator
2° to 8°C (36° to 46°F).

PROTECT FROM LIGHT.
Discard unused portion. Retain in
carton until time of use.

The container closure is not made
with natural rubber latex.

For Product Inquiry:
1-800-551-7176 or
www.fresenius-kabi.us

621374

NDC 63323-631-50

**Leucovorin
Calcium**
Injection, USP

500 mg* per 50 mL
(10 mg per mL)

For Intravenous or Intramuscular Use

Rx only
50 mL
Single Use Vial



***Each mL contains:** Leucovorin Calcium
equivalent to 10 mg leucovorin; sodium
chloride 8 mg. May contain hydrochloric
acid and/or sodium hydroxide for pH
adjustment. (pH 6.5 to 8.5).

USE ASEPTIC TECHNIQUE
Remove cover from Fliptop Vial and
cleanse stopper with antiseptic.



(01)00363323631505

Manufactured for:



Fresenius Kabi USA, LLC
Lake Zurich, IL 60047
Made in Austria

NDC 63323-631-50

**Leucovorin
Calcium**
Injection, USP

500 mg* per 50 mL
(10 mg per mL)

For Intravenous or Intramuscular Use

Rx only
50 mL
Single Use Vial

