

GTIN: 00363323710507

200 mg per vial

**Leucovorin
Calcium**
for Injection

NDC 63323-710-50

NDC 63323-710-50

**Leucovorin
Calcium**
for Injection

200 mg per vial



3 63323-710-50 7



Lake Zurich, IL 60047

www.fresenius-kabi.com/us

**Leucovorin
Calcium**
for Injection

200 mg per vial

Lyophilized.

Each vial contains: Leucovorin calcium equivalent to 200 mg leucovorin as the base and 180 mg sodium chloride.

When reconstituted with 20 mL sterile water for injection, USP or bacteriostatic water for injection, USP (preserved with benzyl alcohol), each mL contains leucovorin calcium equivalent to 10 mg leucovorin.

Reconstitution: Reconstitute with bacteriostatic water for injection, USP (preserved with benzyl alcohol) and use within 7 days, or with sterile water for injection, USP and use immediately.

Do not use preservative-containing solution for doses greater than 10 mg/m² (see WARNINGS).

Usual dosage: See package insert.



Sample label. Please see package insert for complete prescribing information.

NDC 63323-710-50

701050

**Leucovorin
Calcium**
for Injection

200 mg per vial

For intravenous or
intramuscular use.

Rx only



**Leucovorin
Calcium**
for Injection

200 mg per vial

Store dry product and reconstituted solution at: 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from light (keep in outer carton).

The container closure is not made with natural rubber latex.



621136E