

02761952550300 NIT0

PSCAR-010512-00

**Sample Label.  
Please see  
package insert  
for complete  
prescribing  
information.**

NDC 65219-564-20

**Rx only**

# Mitomycin

for Injection, USP

**5 mg/vial**

**WARNING: MUST BE  
ADMINISTERED INTRAVENOUSLY  
TO AVOID TISSUE DAMAGE.**

**Caution: Cytotoxic Agent**

**Single-Dose Vial**



This vial contains mitomycin 5 mg and mannitol 10 mg. Add 10 mL Sterile Water for Injection, USP. Shake to dissolve. If product does not dissolve immediately, allow to stand at room temperature until solution is obtained. Each mL of reconstituted solution will contain 0.5 mg mitomycin and have a pH between 6.0 and 8.0.

**USUAL DOSAGE:**

See package insert for full prescribing information.

**STORAGE:**

Retain the container in the carton. Store dry powder at 25°C, excursion permitted between 15°C and 30°C, protected from light. Avoid excessive heat, over 40°C (104°F). Protect reconstituted solution from light. Store solution under refrigeration 2° to 8°C (36° to 46°F), discard after 14 days. If unrefrigerated, discard after 7 days.

NDC 65219-564-20

**Rx only**

# Mitomycin

for Injection, USP

**5 mg/vial**

**WARNING: MUST BE  
ADMINISTERED INTRAVENOUSLY  
TO AVOID TISSUE DAMAGE.**

**Caution: Cytotoxic Agent**

**Single-Dose Vial**



Manufactured for:



Lake Zurich, IL 60047

Made in India

621862

Code No.: AP/DRUGS/03/2011



(01)00365219564201

[www.fresenius-kabi.com/us](http://www.fresenius-kabi.com/us)