

GTIN: 00363323379056

www.fresenius-kabi.com/us

For Subcutaneous or Intravenous Use

5,000 mcg per 5 mL (1,000 mcg per mL)

Octreotide Acetate Injection

NDC 63323-379-05

Octreotide Acetate Injection

5,000 mcg per 5 mL
(1,000 mcg per mL)



3 63323-379-05 6

 **FRESENIUS
KABI**

Lake Zurich, IL 60047

www.fresenius-kabi.com/us

NDC 63323-379-05

Octreotide Acetate Injection

5,000 mcg per 5 mL
(1,000 mcg per mL)

Sterile.

Each mL contains: Octreotide (as acetate), 1,000 mcg; sodium chloride, 7 mg; glacial acetic acid USP, 2 mg; sodium acetate trihydrate USP, 2 mg; phenol USP, 5 mg; water for injection, q.s.

Usual dosage: See package insert.

5 mL
Multiple Dose Vial

 **FRESENIUS
KABI**

NDC 63323-379-05

Octreotide Acetate Injection

5,000 mcg per 5 mL
(1,000 mcg per mL)

For Subcutaneous or Intravenous Use

**STORE REFRIGERATED AT 2°C TO 8°C
(36°F TO 46°F); PROTECT FROM
LIGHT. AFTER INITIAL USE, DISCARD
WITHIN 14 DAYS.**

5 mL
Multiple Dose Vial
Rx only

 **FRESENIUS
KABI**

NDC 63323-379-05

Octreotide Acetate Injection

5,000 mcg per 5 mL
(1,000 mcg per mL)

Storage: Refrigerate at 2°C to 8°C (36°F to 46°F); protect from light. After initial use, discard within 14 days. At room temperature, (20°C to 30°C or 70°F to 86°F), Octreotide Acetate is stable for 14 days if protected from light. The container closure is not made with natural rubber latex.

5 mL
Multiple Dose Vial

 **FRESENIUS
KABI**

62849G