

Sample label. Please see package insert
for complete prescribing information.



691



Manufactured for:
**FRESENIUS
KABI**
Lake Zurich, IL 60047
Made in Italy

621369

Usual Adult Dosage: Adults - 250 mg to 500 mg intramuscularly every 4 to 6 hours. See insert for intravenous use. READ ACCOMPANYING INSERT. Discard solution after 3 days at room temperature or 7 days under refrigeration. Store dry powder at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. The container closure is not made with natural rubber latex.

Each vial contains: oxacillin sodium monohydrate equivalent to 2 grams oxacillin and 42 mg dibasic sodium phosphate. Each gram of oxacillin contains 64 mg (2.8 mEq) of sodium. For intramuscular use add 1.5 mL Sterile Water for Injection, USP. Each 1.5 mL of solution contains 250 mg oxacillin.

Oxacillin
for Injection, USP
2 grams per vial

NDC 63323-812-20

Oxacillin
for Injection, USP

2 grams per vial

Buffered - For Intramuscular or Intravenous use

Rx only

10 x 2 gram

Single Dose Vials



NDC 63323-812-20

Oxacillin
for Injection, USP

2 grams per vial

Buffered - For Intramuscular or Intravenous use

Rx only

10 x 2 gram

Single Dose Vials



For product inquiry
please call 1-800-551-7176
or www.fresenius-kabi.com/us



(01)20363323812205

RM16000897.00

Dis. 2734ZE
0

Oxacillin
for Injection, USP
2 grams per vial

Rx only

10 x 2 gram

Single Dose Vials

