

Sample label. Please see package insert
for complete prescribing information.



Manufactured for:
**FRESENIUS
KABI**
Lake Zurich, IL 60047
Made in Italy

Usual Adult Dosage: Adults - 250 mg
to 500 mg intramuscularly every 4 to
6 hours. See insert for intravenous use.
READ ACCOMPANYING INSERT.
Discard solution after 3 days at
room temperature or 7 days under
refrigeration.
Store dry powder at 20° to 25°C
(68° to 77°F) [see USP Controlled
Room Temperature].
The container closure is not made with
natural rubber latex.

Each vial contains: oxacillin sodium
monohydrate equivalent to 1 gram
oxacillin and 21 mg dibasic sodium
phosphate. Each gram of oxacillin
contains 64 mg (2.8 mEq) of sodium.
For intramuscular use add 5.7 mL
Sterile Water for Injection, USP. Each
1.5 mL of solution contains 250 mg
oxacillin.

Oxacillin
for Injection, USP
1 gram per vial

NDC 63323-813-20

Oxacillin
for Injection, USP

1 gram per vial

Buffered - For Intramuscular or Intravenous use

Rx only

10 x 1 gram

Single Dose Vials



NDC 63323-813-20

Oxacillin
for Injection, USP

1 gram per vial

Buffered - For Intramuscular or Intravenous use

Rx only

10 x 1 gram

Single Dose Vials



For product inquiry
please call 1-800-551-7176
or www.fresenius-kabi.com/us



(01)20363323813202

RM16000893.00

Dis. 2734ZE
0

Oxacillin
for Injection, USP
1 gram per vial

Rx only
10 x 1 gram
Single Dose Vials

