

CAR-010002-00

**Sample label.
Please see
package insert
for complete
prescribing
information.**

NDC 65219-190-30

1 Vial

Voriconazole for Injection

200 mg* per vial

Not made with natural rubber latex
No Preservatives

For Intravenous Infusion Only

Sterile
Single-Dose Vial
Discard Unused Portion

Rx only



Store at 20° to 25°C (68° to 77°F)
[see USP Controlled Room
Temperature].

DOSAGE AND USE:

Reconstitute with 19 mL of Water
for Injection to give a clear solution
containing 10 mg/mL voriconazole
and an extractable volume of 20 mL.

Must be further diluted before use.

For administration, the required
volume of the reconstituted solution
is added to a recommended
compatible infusion solution to
provide a final voriconazole solution
containing 0.5 to 5 mg/mL.
For appropriate diluents and storage
recommendations, refer to
prescribing information.

FOR INTRAVENOUS INFUSION AFTER DILUTION

*With reconstitution each mL
contains 10 mg voriconazole and
160 mg sulfobutyl ether β -cyclodextrin
sodium (SBECD).

NDC 65219-190-30

1 Vial

Voriconazole for Injection

200 mg* per vial

Not made with natural rubber latex
No Preservatives

For Intravenous Infusion Only

Sterile
Single-Dose Vial
Discard Unused Portion

Rx only



Manufactured for:



Lake Zurich, IL 60047

Made in India
Code No.: AP/DRUGS/103/97

621783



(01)00365219190301

www.fresenius-kabi.com/us