Fach ml_contains:

(as the bitartrate)

Sodium chloride

Methylparaben

Sodium metabisulfite

Filled under nitrogen.

Lidocaine HCL

Epinephrine

Citric acid

Xylocaine® (lidocaine HCl and epinephrine

Injection, USP)

with Epinephrine 1:100,000

200 mg per 20 mL (10 mg per mL)

For Infiltration and Nerve Block

Not for Caudal or Epidural Use

Rx only

25 Multiple Dose Vials, 20 mL

Consult package insert for dosage and full prescribing information.

Sodium hydroxide and/or hydrochloric acid to adjust pH approx. 4.5 (3.3 to 5.5).

10 ma

0.01 ma

0.2 ma

0.5 mg

7 ma

1 ma

Lake Zurich, IL 60047

Temperaturel.

www.fresenius-kabi.com/us

The Injection is not to be used if its color is pinkish or darker than slightly vellow or if it contains a precipitate. Protect from light. Store in carton until contents have been used.

Store at 20° to 25°C (68° to 77°F). Isee USP Controlled Room

All trademarks are the property of Fresenius Kabi USA, LLC.

FRESENIUS

0 α 6

Do not autoclave (contains epinephrine). Sample label. Please see package insert for complete prescribing information.