NDC 63323-488-17

TO BE SOLD ONLY AS AN UNBROKEN PACKAGE 480817

Sterile, nonpyrogenic

Single dose vial. Discard unused

Xylocaine®-MPF (lidocaine HCl and epinephrine Injection, USP)

Fach ml_contains: Lidocaine HCL 15 mg portion.

with Epinephrine 1:200,000 1.5% 150 ma/10 mL

For Infiltration and Nerve Block

25 Single Dose Vials, 10 mL

Epinephrine 0.005 mg (as the bitartrate) Citric acid 0.2 mg Sodium chloride 6.5 mg Sodium metabisulfite 0.5 mg Sodium hydroxide and/or hydrochloric

Protect from light.

Temperature1.

Store in carton until time of use. Store at 20° to 25°C (68° to 77°F) Isee USP Controlled Room

acid to adjust pH approx. 4.5 (3.3 to 5.5). Filled under nitrogen.

yellow or if it contains a precipitate.

Including Caudal and Epidural Use. Methylparaben Free Rx only

(15 mg/mL)

Consult package insert for dosage and full prescribing information.

Do not autoclave (contains epinephrine). The Injection is not to be used if its color is pinkish or darker than slightly

All trademarks are the property of Fresenius Kahi USA LLC

Fresenius Kabi USA, LLC Lake Zurich, IL 60047

Sample label. Please see package insert for complete prescribing information.

