

SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION

Product Name: Heparin Sodium Injection, USP
Manufacturer Name: Fresenius Kabi USA, LLC
Address: Three Corporate Drive
 Lake Zurich, Illinois 60047
General Phone Number: (847) 550-2300
Customer Service Phone Number: (888) 386-1300
Health Issues Information: (800) 551-7176
SDS Creation Date: January 08, 2009
SDS Revision Date: March 06, 2024

SECTION 2 : HAZARD(S) IDENTIFICATION

GHS Pictograms:



Signal Word:

DANGER.

GHS Class:

Respiratory sensitisation. category 1.
 Skin Irritation. Category 2.
 Skin Sensitization. category 1.
 Reproductive toxicity. Effects on or via lactation.

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 Causes skin irritation.
 May cause an allergic skin reaction.
 May cause harm to breast-fed children.

Precautionary Statements:

Obtain special instructions before use.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid contact during pregnancy and while nursing.
 Wash hands thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 In case of inadequate ventilation wear respiratory protection.
 IF ON SKIN: Wash with plenty of water.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see ... on this label).
 If skin irritation occurs: Get medical advice/attention.
 If skin irritation or rash occurs: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
 Take off contaminated clothing and wash it before reuse.
 Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Emergency Overview:

This product is intended for therapeutic use only when prescribed by a physician. Potential adverse reactions from prescribed doses and overdoses are described in the package insert.

Route of Exposure:

Inhalation Ingestion Eye contact Skin Absorption. Injection.

Potential Health Effects:

Eye: Contact with eyes may cause irritation.
Skin: May cause skin irritation.
Inhalation: May cause irritation of respiratory tract.
Ingestion: May cause irritation.

Signs/Symptoms:

Adverse reactions from prescribed doses include: hemorrhage, local irritation, erythema, mild pain, hematoma, ulceration, hypersensitivity reactions (chills, fever, urticaria), asthma, rhinitis, lacrimation, headache, nausea, vomiting, anaphylactic reactions including shock, itching, burning, and thrombocytopenia. The chief sign of heparin overdose is bleeding (nosebleeds, blood in urine, tarry stools, easy bruising, or petechial formations). When clinical circumstances require reversal of heparinization, protamine sulfate should be administered. Occupational exposure has not been fully investigated.

Aggravation of Pre-Existing Conditions:

Individuals with documented hypersensitivity to heparin sodium and individuals with thrombocytopenia or increased risk for hemorrhage.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | Ingredient Percent | EC Num. |
|---------------|------|--------------------|---------|
|---------------|------|--------------------|---------|

| | | |
|--|-----------|---------------------|
| Heparin Sodium (porcine intestinal mucosa) | 9041-08-1 | See Package Insert |
| Benzyl Alcohol | 100-51-6 | See Package Insert |
| Methylparaben | 99-76-3 | 0.15 % |
| Propylparaben | 94-13-3 | 0.015 % |
| Sodium Chloride | 7647-14-5 | See Package Insert |
| Water for Injection | 7732-18-5 | Quantity Sufficient |

Notes : Product Codes 1710, 27602, 504901, 504701, and 504302 are preservative-free. Product Codes 504401, 504411, 504501, 504505, 504001, 504011, 504031, 926201, 504201, 504207, and 915501 contain only methylparaben and propylparaben as preservatives. Product Code 4710 and 504509 contains benzyl alcohol as a preservative.

SECTION 4 : FIRST AID MEASURES

| | |
|-------------------------|---|
| Eye Contact: | Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention. |
| Skin Contact: | Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists. |
| Inhalation: | If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention. |
| Ingestion: | If conscious, flush mouth out with water immediately. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. |
| Other First Aid: | For Adverse Event Information, please call (800) 551-7176. |

SECTION 5 : FIRE FIGHTING MEASURES

| | |
|---|--|
| Flash Point: | Not established. |
| Flash Point Method: | Not established. |
| Auto Ignition Temperature: | Not established. |
| Lower Flammable/Explosive Limit: | Not established. |
| Upper Flammable/Explosive Limit: | Not established. |
| Fire Fighting Instructions: | Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water. |
| Extinguishing Media: | Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Protective Equipment: | As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear. |
| Hazardous Combustion Byproducts: | Thermal decomposition products may include smoke and toxic fumes. Oxides of carbon, oxides of nitrogen and other organic substances may be formed. Other undetermined low molecular weight hydrocarbon compounds may be released in small quantities depending upon specific conditions of combustion. |

SECTION 6 : ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|---|
| Personal Precautions: | Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Avoid personal contact and breathing vapors or mists. Use proper personal protective equipment as listed in Section 8. |
| Environmental Precautions: | Avoid runoff into storm sewers, ditches, and waterways. |
| Methods for containment: | Contain spills with an inert absorbent material such as soil, sand or oil dry. |
| Methods for cleanup: | Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. After removal, flush spill area with soap and water to remove trace residue. |

SECTION 7 : HANDLING and STORAGE

| | |
|---------------------------|--|
| Handling: | When handling pharmaceutical products, avoid all contact and inhalation of vapor, mists and/or fumes. Use with adequate ventilation. Use only in accordance with directions. |
| Storage: | Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F). [See USP Controlled Room Temperature]. |
| Work Practices: | Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. |
| Hygiene Practices: | Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist. |

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

| | |
|-------------------------------------|---|
| Engineering Controls: | General ventilation is sufficient if this product is being used in a controlled medical setting (clinic, hospital, medical office) for its sole intended parenteral (injection) purpose. Otherwise, use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls including use of a biosafety cabinet / fume hood to control airborne levels below recommended exposure limits. |
| Eye/Face Protection: | Chemical splash goggles. Wear a face shield also when splash hazard exist. |
| Skin Protection Description: | Protective laboratory coat, apron, or disposable garment recommended. |
| Hand Protection Description: | Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data. Nitrile rubber or natural rubber gloves are recommended. |
| Respiratory Protection: | No personal respiratory protective equipment is normally required when this product is being used/administered by a licensed healthcare practitioner (i.e. an end-user such as a clinician / doctor / nurse) for its sole intended parenteral (injection) purpose in a controlled medical setting. The need for respiratory protection will vary according to the airborne concentrations and environmental conditions. A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances. Consult the NIOSH web site (http://www.cdc.gov/niosh/npptl/topics/respirators/) for a list of respirator types and approved suppliers. |
| Other Protective: | Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment. |

EXPOSURE GUIDELINES

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

| | |
|-----------------------------------|----------------------|
| Physical State: | Liquid solution. |
| Color: | Clear to pale yellow |
| Boiling Point: | Not established. |
| Melting Point: | Not established. |
| Solubility: | Soluble. in water. |
| Vapor Density: | Not established. |
| Vapor Pressure: | Not established. |
| Percent Volatile: | Not established. |
| pH: | 5.0 - 7.5 |
| Molecular Formula: | Mixture |
| Molecular Weight: | Variable. |
| Flash Point: | Not established. |
| Flash Point Method: | Not established. |
| Auto Ignition Temperature: | Not established. |

SECTION 10 : STABILITY and REACTIVITY

| | |
|----------------------------------|---|
| Chemical Stability: | Stable under normal temperatures and pressures. |
| Hazardous Polymerization: | Not reported. |
| Conditions to Avoid: | Protect from freezing. |

SECTION 11 : TOXICOLOGICAL INFORMATION

| | |
|---|---|
| Acute Toxicity: | Eye, skin, and respiratory irritation may occur. |
| <u>Heparin Sodium (porcine intestinal mucosa):</u> | |
| Acute Toxicity: | LD50: IV Rat 2449 mg/kg LD50: IV Mouse 2800 mg/kg |
| Acute Effects: | Eye, skin, and respiratory irritation may occur. |
| Chronic Effects: | None known. |
| <u>Heparin Sodium (porcine intestinal mucosa):</u> | |
| RTECS Number: | MI0850000 |
| Ingestion: | Oral - Rat LD50: >779000 iu/kg [Details of toxic effects not reported other than lethal dose value] Oral - Mouse LD50: >5 gm/kg [Details of toxic effects not reported other than lethal dose value] |

Other Toxicological Information: Intravenous. - Rat LD50: 391821 iu/kg [Details of toxic effects not reported other than lethal dose value]
Intravenous. - Mouse LD50: 2800 mg/kg [Behavioral - convulsions or effect on seizure threshold]
Intravenous. - Rat TDLo: 300 units/kg [Blood - hemorrhage Blood - change in clotting factors]
Intravenous. - Guinea pig TDLo: 160 units/kg [Blood - change in clotting factors]
Intravenous. - Rat TDLo: 84 ku/kg/28D (intermittent) [Musculoskeletal - other changes Nutritional and Gross Metabolic - changes in calcium Nutritional and Gross Metabolic - changes in phosphorus]
Subcutaneous - Rat LD50: 46715 iu/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Mouse LD50: >2500 mg/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Human TDLo: 3600 units/kg/18D (intermittent) [Blood - hemorrhage Related to Chronic Data - death]
Intraperitoneal. - Mouse LD50: >2500 mg/kg [Details of toxic effects not reported other than lethal dose value]

Benzyl Alcohol:

RTECS Number: DN3150000

Skin: Administration onto the skin - Rabbit LD50: 2000 mg/kg [Details of toxic effects not reported other than lethal dose value]
Administration onto the skin - Rabbit Standard Draize test.: 100 mg/24H
Administration onto the skin - Rat LD50: 100 pph/90M [Details of toxic effects not reported other than lethal dose value]

Inhalation: Inhalation - Mouse LC50: >500 mg/m3 [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]
Inhalation - Rat LC50: >500 mg/m3 [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]

Ingestion: Oral - Rat LD50: 1230 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Excitement Behavioral - Coma]
Oral - Mouse LD50: 1360 mg/kg [Details of toxic effects not reported other than lethal dose value]
Oral - Mouse LD50: 1360 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]
Oral - Rat LD50: 1660 mg/kg [Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lungs, Thorax, or Respiration - Respiratory depression]
Oral - Rat LD50: 1.5 mL/kg [Details of toxic effects not reported other than lethal dose value]

Other Toxicological Information: Intravenous. - Rat LD50: 53 mg/kg [Lungs, Thorax, or Respiration - dyspnea]
Intravenous. - Mouse LD50: 324 mg/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Rat LDLo: 1700 mg/kg [Sense Organs and Special Senses (Eye) - miosis (pupillary constriction) Behavioral - coma Kidney/Ureter/Bladder - other changes]
Intraperitoneal. - Rat LD50: 400 mg/kg [Details of toxic effects not reported other than lethal dose value]
Intraperitoneal. - Mouse LD50: 650 mg/kg [Behavioral - altered sleep time (including change in righting reflex) Behavioral - somnolence (general depressed activity) Lungs, Thorax, or Respiration - dyspnea]
Intraperitoneal. - Rat LDLo: 650 mg/kg [Behavioral - somnolence (general depressed activity) Behavioral - ataxia Lungs, Thorax, or Respiration - respiratory depression]
Intraperitoneal. - Rat TDLo: 514 mg/kg [Behavioral - ataxia]

Methylparaben:

RTECS Number: DH2450000

Skin: Administration onto the skin - Rabbit Standard Draize test.: 0.1 mL/24H
Administration onto the skin - Rabbit Standard Draize test.: 0.5 mL/21D (Intermittent)
Administration onto the skin - Rat TDLo: 374.92 gm/kg/13W (Intermittent) [Nutritional and Gross Metabolic - Weight loss or decreased weight gain Blood - Other changes]

Ingestion: Oral - Mouse LD50: >8 gm/kg [Peripheral Nerve and Sensation - Flaccid paralysis without anesthesia (usually neuromuscular blockage) Behavioral - Ataxia]
Oral - Mouse LD50: >8000 mg/kg [Behavioral - Ataxia]
Oral - Rat LD50: 2100 mg/kg [Details of toxic effects not reported other than lethal dose value]

Other Toxicological Information: Intravenous. - Mouse TDLo: 100 mg/kg [Vascular - shock Lungs, Thorax, or Respiration - respiratory depression]
Intravenous. - Mouse TDLo: 2.5 mg/kg [Lungs, Thorax, or Respiration - tumors]
Subcutaneous - Mouse TDLo: 165 mg/kg [Behavioral - ataxia Lungs, Thorax, or Respiration - respiratory depression]
Subcutaneous - Mouse LD50: 1.2 gm/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Rat LD50: >500 mg/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Mouse TDLo: 49.5 mg/kg/3D (intermittent) [Related to Chronic Data - changes in uterine weight]
Subcutaneous - Mouse TDLo: 165 mg/kg/3D (intermittent) [Reproductive - Maternal Effects - uterus, cervix, vagina Related to Chronic Data - changes in uterine weight]
Intraperitoneal. - Mouse LD50: 960 mg/kg [Peripheral Nerve and Sensation - flaccid paralysis without anesthesia (usually neuromuscular blockage) Behavioral - somnolence (general depressed activity) Behavioral - ataxia]
Intraperitoneal. - Mouse LD50: 125 mg/kg [Details of toxic effects not reported other than lethal dose value]
Intraperitoneal. - Rat LD50: 960 mg/kg [Details of toxic effects not reported other than lethal dose value]

Propylparaben:

RTECS Number: DH2800000

Ingestion: Oral - Mouse LD50: 6332 mg/kg [Details of toxic effects not reported other than lethal dose value]

Other Toxicological Information: Subcutaneous - Mouse LD50: 1650 mg/kg [Details of toxic effects not reported other than lethal dose value]
Subcutaneous - Mouse TDLo: 51 mg/kg/3D (intermittent) [Related to Chronic Data - changes in uterine weight]
Subcutaneous - Rat TDLo: 99 mg/kg/3D (intermittent) [Related to Chronic Data - changes in uterine weight]
Subcutaneous - Mouse TDLo: 195 mg/kg/3D (intermittent) [Reproductive - Maternal Effects - uterus, cervix, vagina Related to Chronic Data - changes in uterine weight]
Intraperitoneal. - Mouse LD50: 200 mg/kg [Details of toxic effects not reported other than lethal dose value]

Sodium Chloride:

RTECS Number: VZ4725000

Eye: Eye - Rabbit Standard Draize test.: 10 mg [Moderate]

| | |
|---|--|
| Skin: | Administration onto the skin - Rabbit LD50: >10 gm/kg [Details of toxic effects not reported other than lethal dose value] Administration onto the skin - Rabbit Standard Draize test.: 50 mg/24H [mild] Administration onto the skin - Rabbit Standard Draize test.: 500 mg/24H [mild] |
| Inhalation: | Inhalation - Rat LC50: >42 gm/m ³ /1H [Details of toxic effects not reported other than lethal dose value] |
| Ingestion: | Oral - Mouse LD50: 4 gm/kg [Details of toxic effects not reported other than lethal dose value] Oral - Rat LD50: 3000 mg/kg [Details of toxic effects not reported other than lethal dose value] |
| Other Toxicological Information: | Intravenous. - Mouse LD50: 645 mg/kg [Details of toxic effects not reported other than lethal dose value] Intravenous. - Rabbit LDLo: 1100 mg/kg [Behavioral - convulsions or effect on seizure threshold Behavioral - muscle contraction or spasticity Cardiac - other changes] Intravenous. - Guinea pig LDLo: 300 mg/kg [Details of toxic effects not reported other than lethal dose value] Intravenous. - Mouse TDLo: 2.1 mg/kg [Vascular - other changes Blood - hemorrhage Skin and Appendages - dermatitis, irritative (after systemic exposure)] Intravenous. - Rabbit LDLo: 1.5 mg/kg [Details of toxic effects not reported other than lethal dose value] Intravenous. - Rabbit TDLo: 0.04 mg/kg [Vascular - other changes Blood - hemorrhage Skin and Appendages - dermatitis, irritative (after systemic exposure)] Subcutaneous - Rat LDLo: 3500 mg/kg [Behavioral - irritability] Subcutaneous - Mouse LD50: 3 gm/kg [Details of toxic effects not reported other than lethal dose value] Subcutaneous - Guinea pig LDLo: 2160 mg/kg [Details of toxic effects not reported other than lethal dose value] Subcutaneous - Rabbit TDLo: 0.04 mg/kg [Vascular - other changes Skin and Appendages - dermatitis, irritative (after systemic exposure)] Subcutaneous - Mouse TDLo: 1900 mg/kg [Reproductive - Effects on Embryo or Fetus - fetal death] Subcutaneous - Mouse TDLo: 1900 mg/kg [Reproductive - Specific Developmental Abnormalities - musculoskeletal system] Subcutaneous - Mouse TDLo: 2500 mg/kg [Reproductive - Effects on Embryo or Fetus - fetotoxicity (except death, e.g., stunted fetus)] Subcutaneous - Mouse TDLo: 13440 mg/kg [Reproductive - Fertility - abortion] Intraperitoneal. - Mouse LD50: 2602 mg/kg [Details of toxic effects not reported other than lethal dose value] Intraperitoneal. - Rat LD50: 2600 mg/kg [Details of toxic effects not reported other than lethal dose value] Intraperitoneal. - Rat LDLo: 3.72 gm/kg [Behavioral - tremor Behavioral - convulsions or effect on seizure threshold] Intraperitoneal. - Rat TDLo: 1710 mg/kg [Reproductive - Effects on Embryo or Fetus - fetotoxicity (except death, e.g., stunted fetus) Reproductive - Effects on Embryo or Fetus - fetal death Reproductive - Specific Developmental Abnormalities - musculoskeletal system] Intraperitoneal. - Rat TDLo: 10 gm/kg [Reproductive - Effects on Newborn - behavioral] Intraperitoneal. - Rat Cytogenetic analysis: 2338 mg/kg |

SECTION 12 : ECOLOGICAL INFORMATION

| | |
|---------------------------------|--|
| Ecotoxicity: | No ecotoxicity data was found for the product. |
| Environmental Stability: | No environmental information found for this product. |

SECTION 13 : DISPOSAL CONSIDERATIONS

| | |
|------------------------|---|
| Waste Disposal: | Dispose of in accordance with Local, State, Federal and Provincial regulations. |
|------------------------|---|

SECTION 14 : TRANSPORT INFORMATION

| | |
|-----------------------------|----------------|
| DOT Shipping Name: | Not Regulated. |
| DOT UN Number: | Not Regulated. |
| IATA Shipping Name: | Non regulated. |
| IATA UN Number: | Non regulated. |
| IMDG UN Number : | Non regulated. |
| IMDG Shipping Name : | Non regulated. |

SECTION 15 : REGULATORY INFORMATION

Heparin Sodium (porcine intestinal mucosa) :

| | |
|-------------------------------|--------|
| TSCA Inventory Status: | Listed |
| Canada DSL: | Listed |

Benzyl Alcohol :

| | |
|-------------------------------|--|
| TSCA Inventory Status: | Listed |
| EINECS Number: | 202-859-9 |
| Canada DSL: | Listed |
| Canada IDL: | Identified under the Canadian Hazardous Products Act Ingredient Disclosure List: 0.1%.169(170) |

Methylparaben :

TSCA Inventory Status: Listed
EINECS Number: 202-785-7
Canada DSL: Listed

Propylparaben:

TSCA Inventory Status: Listed
EINECS Number: 202-307-7
Canada DSL: Listed

Sodium Chloride:

TSCA Inventory Status: Listed
EINECS Number: 231-598-3
Canada DSL: Listed

SECTION 16 : ADDITIONAL INFORMATION

HMIS Ratings:

HMIS Health Hazard: 1
HMIS Fire Hazard: 1
HMIS Reactivity: 1
HMIS Personal Protection: X

SDS Creation Date: January 08, 2009

SDS Revision Date: March 06, 2024

SDS Revision Notes: Overall SDS review. Removed an old synonym product name that is no longer used.

Disclaimer:

The information contained herein pertains to this material. It is the responsibility of each individual party to determine for themselves the proper means of handling and using these materials based on their purpose and intended use. Fresenius-Kabi assumes no liability resulting from the use of or reliance upon the information contained in this material safety data sheet. This material safety data sheet does not constitute the guaranty or specifications of the product.

Copyright© 1996-2018 Enviance. All Rights Reserved.